Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



115. Food distribution administra

WAR FOOD ADMINISTRATION 453261

FDA - 8/9/43

Minimum Isolation Distances 1/ for Varieties and Types of Brassica (Cabbage, Cauliflower, Kale, Etc.) Recommended by Roy Magruder, June 25, 1943 Mount Vernon, Washington

Classification

Group 1. (Early Pointed) Jersey Wakefield Charleston Wakefield

Group 2. (Late Pointed) Winnigstadt

Group 3. (Early Round) Golden Acre Green Acre Early Copenhagen Resistant Detroit

Group 4. (Midseason Round) Medium Copenhagen Glory Midseason Market Ferrys Round Dutch

> Racine Market) Marion Market) Yellows Res. Globe

LIBRARY ☆ AUG 1 2 1943 ☆

Isolation Distances U. S. Department of Agriculture Group 5. (Late Round-Danish) Danish Ball Head Reeds Ball Head

> Oakview Ball Head ' Penn. State Ball Head

Wisc. Ball Head)

Wisc. Hollander) Yellows Res.

Bugner

Group 6. (Flat or Drumhead) Steins Early Flat Dutch Late Flat Dutch All Seasons Succession Brunswick

Group 7. (Miscellaneous) Red Cabbage Savoy Cabbage Kale Kohlrabi Brussels Sprouts

Sprouting Broccoli Cauliflower

40 rods or 660 feet Between any 2 varieties within any one group, except within group 7.

60 rods or 990 feet

- (a) Between any variety in group 1 and any variety in group 2.
- (b) Between any variety in group 3, 4 or 5 and any variety in any other of the groups 3, 4 or 5.

80 rods or 1320 feet

- (a) Between any variety in group 1 or 2 (pointed head) and any variety in group 3, 4, 5 (round head) or 6 (flat head).
- (b) Between any variety in group 3, 4 or 5 (round head) and any variety in group 6 (flat or drumhead).
- (c) Between any variety of any one of the 7 kinds in group 7 and any other variety of the same kind.

320 rods or 5280 feet

Between any variety in any one of the 7 kinds in group 7 and any variety in any of the other kinds in group 7 or in any of the other groups.

1/ It should be emphasized that these are minimum not average distances and that greater distances are desirable where they can be obtained.